

```
# Doxyfile 1.5.2
```

```
#-----  
# Project related configuration options  
#-----
```

```
DOXYFILE_ENCODING      = UTF-8  
PROJECT_NAME           = ideavb13  
PROJECT_NUMBER         = 0  
OUTPUT_DIRECTORY      = C:/MIDEA/N4_VB13A_LATEST_20060607/n4/pkg/doxygen  
CREATE_SUBDIRS        = NO  
OUTPUT_LANGUAGE        = English  
BRIEF_MEMBER_DESC     = YES  
REPEAT_BRIEF          = YES  
ABBREVIATE_BRIEF      = "The $name class" \  
                      "The $name widget" \  
                      "The $name file" \  
                      is \  
                      provides \  
                      specifies \  
                      contains \  
                      represents \  
                      a \  
                      an \  
                      the  
ALWAYS_DETAILED_SEC   = NO  
INLINE_INHERITED_MEMB = NO  
FULL_PATH_NAMES       = YES  
STRIP_FROM_PATH       = C:/MIDEA/N4_VB13A_LATEST_20060607/n4/pkg  
STRIP_FROM_INC_PATH   =  
SHORT_NAMES           = NO  
JAVADOC_AUTOBRIEF    = NO  
MULTILINE_CPP_IS_BRIEF = NO  
DETAILS_AT_TOP       = NO  
INHERIT_DOCS         = YES  
SEPARATE_MEMBER_PAGES = NO  
TAB_SIZE             = 8  
ALIASES              =  
OPTIMIZE_OUTPUT_FOR_C = NO  
OPTIMIZE_OUTPUT_JAVA = NO  
BUILTIN_STL_SUPPORT  = NO  
CPP_CLI_SUPPORT      = NO  
DISTRIBUTE_GROUP_DOC = NO  
SUBGROUPING          = YES
```

```
#-----  
# Build related configuration options  
#-----
```

```
EXTRACT_ALL           = YES  
EXTRACT_PRIVATE       = YES  
EXTRACT_STATIC        = YES  
EXTRACT_LOCAL_CLASSES = YES  
EXTRACT_LOCAL_METHODS = NO  
HIDE_UNDOC_MEMBERS   = NO  
HIDE_UNDOC_CLASSES   = NO  
HIDE_FRIEND_COMPOUNDS = NO  
HIDE_IN_BODY_DOCS    = NO  
INTERNAL_DOCS        = NO  
CASE_SENSE_NAMES     = NO  
HIDE_SCOPE_NAMES     = NO  
SHOW_INCLUDE_FILES   = YES  
INLINE_INFO          = YES  
SORT_MEMBER_DOCS     = YES  
SORT_BRIEF_DOCS     = YES  
SORT_BY_SCOPE_NAME   = NO  
GENERATE_TODOLIST    = YES
```

```
GENERATE_TESTLIST      = YES
GENERATE_BUGLIST       = YES
GENERATE_DEPRECATEDLIST= YES
ENABLED_SECTIONS       =
MAX_INITIALIZER_LINES  = 30
SHOW_USED_FILES        = YES
SHOW_DIRECTORIES       = NO
FILE_VERSION_FILTER    =
#-----
# configuration options related to warning and progress messages
#-----
QUIET                  = NO
WARNINGS               = YES
WARN_IF_UNDOCUMENTED   = YES
WARN_IF_DOC_ERROR      = YES
WARN_NO_PARAMDOC       = NO
WARN_FORMAT             = "$file:$line: $text"
WARN_LOGFILE           = C:/MIDEA/N4_VB13A_LATEST_20060607/n4/pkg/doxygen/warning_log.
txt
#-----
# configuration options related to the input files
#-----
INPUT                  = C:/MIDEA/N4_VB13A_LATEST_20060607/n4/pkg
INPUT_ENCODING         = UTF-8
FILE_PATTERNS          = *.c \
                        *.cc \
                        *.cxx \
                        *.cpp \
                        *.c++ \
                        *.d \
                        *.java \
                        *.ii \
                        *.ixx \
                        *.ipp \
                        *.i++ \
                        *.inl \
                        *.h \
                        *.hh \
                        *.hxx \
                        *.hpp \
                        *.h++ \
                        *.idl \
                        *.odl \
                        *.cs \
                        *.php \
                        *.php3 \
                        *.inc \
                        *.m \
                        *.mm \
                        *.dox \
                        *.py
RECURSIVE              = YES
EXCLUDE                =
EXCLUDE_SYMLINKS       = NO
EXCLUDE_PATTERNS       =
EXCLUDE_SYMBOLS        =
EXAMPLE_PATH           =
EXAMPLE_PATTERNS       = *
EXAMPLE_RECURSIVE      = NO
IMAGE_PATH             =
INPUT_FILTER           =
FILTER_PATTERNS        =
FILTER_SOURCE_FILES    = NO
#-----
```

```
# configuration options related to source browsing
```

```
#-----  
SOURCE_BROWSER           = YES  
INLINE_SOURCES           = YES  
STRIP_CODE_COMMENTS     = YES  
REFERENCED_BY_RELATION  = YES  
REFERENCES_RELATION     = YES  
REFERENCES_LINK_SOURCE   = YES  
USE_HTAGS                = NO  
VERBATIM_HEADERS        = NO
```

```
# configuration options related to the alphabetical class index
```

```
#-----  
ALPHABETICAL_INDEX      = YES  
COLS_IN_ALPHA_INDEX     = 5  
IGNORE_PREFIX           =
```

```
# configuration options related to the HTML output
```

```
#-----  
GENERATE_HTML           = YES  
HTML_OUTPUT             = html  
HTML_FILE_EXTENSION    = .html  
HTML_HEADER             =  
HTML_FOOTER             =  
HTML_STYLESHEET        =  
HTML_ALIGN_MEMBERS     = YES  
GENERATE_HTMLHELP      = NO  
CHM_FILE                =  
HHC_LOCATION           =  
GENERATE_CHI           = NO  
BINARY_TOC              = NO  
TOC_EXPAND              = NO  
DISABLE_INDEX          = NO  
ENUM_VALUES_PER_LINE   = 4  
GENERATE_TREEVIEW      = NO  
TREEVIEW_WIDTH         = 250
```

```
# configuration options related to the LaTeX output
```

```
#-----  
GENERATE_LATEX          = YES  
LATEX_OUTPUT            = latex  
LATEX_CMD_NAME          = latex  
MAKEINDEX_CMD_NAME     = makeindex  
COMPACT_LATEX          = NO  
PAPER_TYPE              = a4wide  
EXTRA_PACKAGES          =  
LATEX_HEADER            =  
PDF_HYPERLINKS         = NO  
USE_PDFLATEX           = YES  
LATEX_BATCHMODE        = NO  
LATEX_HIDE_INDICES    = NO
```

```
# configuration options related to the RTF output
```

```
#-----  
GENERATE_RTF           = NO  
RTF_OUTPUT             = rtf  
COMPACT_RTF           = NO  
RTF_HYPERLINKS        = NO  
RTF_STYLESHEET_FILE   =  
RTF_EXTENSIONS_FILE   =
```

```
# configuration options related to the man page output
```

```
#-----  
GENERATE_MAN           = NO
```

```
MAN_OUTPUT          = man
MAN_EXTENSION       = .3
MAN_LINKS           = NO
```

```
#-----
# configuration options related to the XML output
#-----
```

```
GENERATE_XML        = NO
XML_OUTPUT          = xml
XML_SCHEMA          =
XML_DTD             =
XML_PROGRAMLISTING = YES
```

```
#-----
# configuration options for the AutoGen Definitions output
#-----
```

```
GENERATE_AUTOGEN_DEF = NO
```

```
#-----
# configuration options related to the Perl module output
#-----
```

```
GENERATE_PERLMOD    = NO
PERLMOD_LATEX       = NO
PERLMOD_PRETTY      = YES
PERLMOD_MAKEVAR_PREFIX =
```

```
#-----
# Configuration options related to the preprocessor
#-----
```

```
ENABLE_PREPROCESSING = YES
MACRO_EXPANSION       = NO
EXPAND_ONLY_PREDEF   = NO
SEARCH_INCLUDES      = YES
INCLUDE_PATH         =
INCLUDE_FILE_PATTERNS =
PREDEFINED            =
EXPAND_AS_DEFINED    =
SKIP_FUNCTION_MACROS = YES
```

```
#-----
# Configuration::additions related to external references
#-----
```

```
TAGFILES            =
GENERATE_TAGFILE    =
ALLEXTERNALS        = NO
EXTERNAL_GROUPS     = YES
PERL_PATH           = /usr/bin/perl
```

```
#-----
# Configuration options related to the dot tool
#-----
```

```
CLASS_DIAGRAMS      = NO
MSCGEN_PATH         =
HIDE_UNDOC_RELATIONS = YES
HAVE_DOT            = YES
CLASS_GRAPH         = YES
COLLABORATION_GRAPH = YES
GROUP_GRAPHS       = YES
UML_LOOK           = NO
TEMPLATE_RELATIONS = NO
INCLUDE_GRAPH      = YES
INCLUDED_BY_GRAPH  = YES
CALL_GRAPH         = NO
CALLER_GRAPH       = NO
GRAPHICAL_HIERARCHY = YES
DIRECTORY_GRAPH    = YES
DOT_IMAGE_FORMAT    = png
DOT_PATH           =
DOTFILE_DIRS       =
DOT_GRAPH_MAX_NODES = 50
```

DOT\_TRANSPARENT = NO  
DOT\_MULTI\_TARGETS = NO  
GENERATE\_LEGEND = YES  
DOT\_CLEANUP = YES

#-----  
# Configuration::additions related to the search engine  
#-----

SEARCHENGINE = NO